TOPICS: REAL FOURIER SERIES, AND FOURIER SINE & COSINE SERIES

- 1. Find the Fourier series of the following functions *without* computing any integrals.
 - (a) $f(x) = 2 3\sin 4x + 5\cos 6x$,
 - (b) $f(x) = \sin^2 x$. [*Hint*: Use a standard trig identity.]
- 2. Consider the sawtooth wave defined on [-1, 1] by the function f(t) = t, and extended to be periodic of period T = 2.
 - (a) Sketch the graph of f(t) on [-7, 7].
 - (b) Compute the Fourier series of f(t).
 - (c) The differential equation

$$x''(t) + \omega^2 x(t) = f(t)$$

describes the motion of a simple harmonic oscillator, subject to a driving force given by the sawtooth wave f(t). Find the general solution by first solving the homogeneous equation, and then looking for a particular solution of the form

$$x_p(t) = \sum_{n=1}^{\infty} b_n \sin(n\pi t) \,.$$

3. Consider the 2π -periodic function defined on $[-\pi, \pi]$ by

$$f(t) = \begin{cases} 0 & -\pi \le t < 0, \\ t & 0 \le t \le \pi, \end{cases}$$

- (a) Sketch the graph of f(t) on $[-7\pi, 7\pi]$.
- (b) Compute the Fourier series of f(t).
- (c) Sketch the graph of the resulting Fourier series. [It will be the same as the answer to Part (a) *except* at the points of discontinuity.]
- (d) Solve the differential equation $x''(t) + \omega^2 x(t) = f(t)$. Look for a particular solution of the form

$$x_p(t) = \frac{a_0}{2} + \sum_{n=1}^{\infty} a_n \cos nt + b_n \sin nt$$
.

- 4. Determine which of the following functions are even, which are odd, and which are neither.
 - (a) $f(x) = x^3 + 3x$ (e) $f(x) = \frac{1}{x}$
 - (b) $f(x) = 4\sin 2x$ (f) $f(x) = \frac{1}{2}(e^x + e^{-x})$
 - (c) $f(x) = x^2 + |x|$ (g) $f(x) = x \cos x$
 - (d) $f(x) = e^x$ (h) $f(x) = \frac{1}{2}(e^x e^{-x}).$

- 5. In this problem, we will investigate why in many Fourier series, every other coefficient is zero. This has to do with certain symmetries in the graph.
 - (a) The Fourier series of an odd function consists only of sine-terms. What additional symmetry conditions on f will imply that the sine coefficients with even indices will be zero (i.e., each $b_{2n} = 0$)? Give an example of a non-zero function satisfying this additional condition.
 - (b) What symmetry conditions on f will imply that the sine coefficients with odd indices will be zero (i.e., each $b_{2n+1} = 0$)? Give an example of a non-zero function satisfying this additional condition.
 - (c) Sketch the graph of a non-zero even function, such that $a_{2n} = 0$ for all n.
 - (d) Sketch the graph of a non-zero even function, such that $a_{2n+1} = 0$ for all n.
- 6. Consider the function $f(x) = x^2$ defined on the interval [0, L]. For this problem, you will determine the Fourier series, Fourier cosine series, and Fourier sine series of f(x). Feel free to use a computer to find any indefinite integrals that you need.
 - (a) Sketch the even extension of f and compute its Fourier cosine series.
 - (b) Sketch the odd extension of f and compute its Fourier sine series.
 - (c) Sketch the periodic extension of f and compute its Fourier series.