- 1. Consider the difference equation  $P_{t+1} = P_t(2 P_t)$ . The graphs of F(x) = x(2 x), and x = y intersect at (x, y) = (1, 1), which is the local maximum of the parabola.
  - (a) Draw two cobweb plots, one corresponding to an initial condition  $P_0 < 1$  and the other to the initial condition  $P_0 > 1$ . Recall that these lie on the  $(P_t, P_{t+1})$ -plane.
  - (b) For each of these, plot the points  $(t, P_t)$  for a few small integer values of t.
  - (c) How do the previous parts compare to the case when the point of intersection is to the left of the local maximum? To the right of the local maximum?
- 2. Consider the following instance of the discrete logistic equation:

$$P_{t+1} = P_t(1 + r(1 - P_t/K))$$

Find the two equilibrium points,  $P^*$ . Use the technique of *linearization* to find the stability of these points. That is, plug  $P_t \approx P^* + p_t$  and  $P_{t+1} \approx P^* + p_{t+1}$  into the difference equation and express the perturbation  $p_{t+1}$  in terms of  $p_t$ , disregarding the non-linear terms.

- 3. The discrete logistic and the Ricker population models when written as  $P_{t+1} = F(P_t)$  have the property that for small values of  $P_t$ , the graph of F(x) lies above the line y = x This means that  $F(P_t) > P_t$  for small value of  $P_t$ . Consider a model for which  $F(P_t) < P_t$  for small values of  $P_t$ . Explain the affect of this feature on population dynamics. Why might this be a biologically important feature? (The resulting behavior is sometimes known as an Allee effect.
- 4. Construct a simple model showing an Allee effect as follows.
  - (a) Explain why for some 0 < L < K, the per-capita grown should be

$$\begin{split} \frac{\Delta P}{P} &< 0, \ \ \text{when} \ 0 < P < L \ \ \text{or} \ P > K \,, \\ \frac{\Delta P}{P} &> 0, \ \ \text{when} \ L < P < K \,. \end{split}$$

Sketch a possible graph of  $\Delta P/P$  vs. P.

- (b) Explain why  $\Delta P/P = P(K-P)(P-L)$  has the qualitative features desired.
- (c) Investigate the resulting model using the MATLAB programs onepop and cobweb (available on the Math 4500 webpage) for some choices of K and L. Print out, or sketch the results of a few sample trials. Is the behavior as expected?
- (d) What features of this modeling equation are unrealistic? How might the model be improved?