## Lecture 7.5: The partial order of positive maps

Matthew Macauley

School of Mathematical & Statistical Sciences Clemson University http://www.math.clemson.edu/~macaule/

Math 8530, Advanced Linear Algebra

### Partially ordered sets

Recall that a partial order on a set X is a relation  $\leq$  that is:

(i) reflexive:  $x \le x$ (ii) anti-symmetric:  $x \le y$  and  $y \le x \Rightarrow x = y$ (iii) transitive:  $x \le y \le z \Rightarrow x \le z$ .

We say that x < y if  $x \le y$  and  $x \ne y$ . The pair  $(X, \le)$  is a partially ordered set (poset).

Alternatively, we can define a partial order by a relation < that is

(i) reflexive: x ≤ x
(ii) anti-symmetric: x < y ⇒ y ≮ x</li>
(iii) transitive: x < y < z ⇒ x < z.</li>

#### Definition

Put a following partial order on the set of self-adjoint maps:

M < N iff N - M > 0,  $M \le N$  iff  $N - M \ge 0$ .

### Basic properties of the poset of positive maps

The following easy facts all hold for positive numbers:

- (i) If  $m_1 < n_1$  and  $m_2 < n_2$ , then  $m_1 + m_2 < n_1 + n_2$ .
- (ii) If  $\ell < m < n$ , then  $\ell < n$ .
- (iii) If m < n and a > 0, then am < an
- (iv) If 0 < m < n, then 1/m > 1/n > 0.

#### Proposition 7.9

The following all hold for linear maps on X:

- (i) If  $M_1 < M_1$  and  $M_2 < N_2$ , then  $M_1 + M_2 < N_1 + N_2$ .
- (ii) If L < M < N, then L < N.
- (iii) Given maps M < N and a scalar a > 0, we have aM < aN.
- (iv) If 0 < M < N, then  $M^{-1} > N^{-1} > 0$ .

# The symmetrized product

Definition

If  $A, B: X \rightarrow X$  are self-adjoint, their symmetrized product is

S = AB + BA.

Proposition 7.10

Let A, B be self-adjoint. If A > 0 and AB + BA > 0, then B > 0.