

Math 8510, Midterm 1. October 12, 2022

1. (6 points) Let G be a group with a subgroup $H = \langle b, c \rangle$. No justification necessary, but *be as specific as possible with your answers.*

(a) If $a \in H$, then what is $\langle a, b, c \rangle$?

(b) If $a \notin H$ and $[G : H] = 3$, then what is $\langle a, b, c \rangle$?

(c) If $a \notin H$, and $|G| = 48$ and $|H| = 6$, what are the possible orders of the subgroup $\langle a, b, c \rangle$?

2. (6 points) Let $Q_8 = \{\pm 1, \pm i, \pm j, \pm k\}$ be the quaternion group and $V_4 = \{e, v, h, vh\}$ be the Klein 4-group. Define a homomorphism $\phi: Q_8 \rightarrow V_4$ by $\phi(i) = v$ and $\phi(j) = h$. Find the image of the remaining six elements.

$\phi(1) =$, $\phi(-1) =$, $\phi(k) =$, $\phi(-i) =$, $\phi(-j) =$, $\phi(-k) =$.

3. (8 points) Draw the subgroup lattice of the dihedral group $D_3 = \langle r, f \mid r^3 = f^2 = 1, rf = fr^2 \rangle$, with the subgroups listed by generators. Label each edge between $K \leq H$ with the corresponding index, $[H : K]$. Then partition the subgroups into conjugacy classes by circling them.

4. (8 points) Prove that there are no simple groups of order $|G| = 63 = 3^2 \cdot 7$.

5. (8 points) Let G be a group with center $Z = Z(G)$. Show that Z is a subgroup of G and that it is normal.

6. (8 points) Suppose a group G of order 35 acts on a set S of size 9. Show that there must be a fixed point. Can you say something stronger?


7. (6 points) Finish the following definitions. Make sure you use terminology like “for all”, where appropriate.

- (a) The *order* of an element $g \in G$ is...
- (b) A *homomorphism* ϕ from a group G to H is...
- (c) If $N \trianglelefteq G$, then the *quotient group* G/N is...
- (d) The *kernel* of a homomorphism ϕ from G is...
- (e) A subgroup N of G is *normal* if...
- (f) The *commutator* $[x, y]$ of elements $x, y \in G$ is...

8. (16 points) Fill in the following blanks.

1. The smallest nonabelian group is _____.
2. A list of the groups of order 8 (up to isomorphism) is _____.
3. The permutation $(123)(456789) \in S_9$ has order _____, and its inverse is _____.
4. The alternating group A_3 consists of the following elements: _____.
5. Two permutations in S_n are conjugate if and only if _____.
6. For any $n \geq 3$, $D_n \cong A \rtimes B$, a semidirect product of $A =$ _____ with $B =$ _____.
7. An example of a minimal generating set of S_5 of minimum size is _____.
8. The group $\text{Aut}(\mathbb{Z})$ has order _____.
9. Let $H \leq G$ have index $[G : H] = n$. If G acts on the cosets of H by right-multiplication, then the action has _____ orbit(s).
10. The kernel of a group action is the intersection of all _____.
11. The group D_5 has _____ Sylow 2-subgroups, all of order _____.
12. The kernel of the homomorphism $\phi: G \rightarrow \text{Inn}(G)$, defined by $x \mapsto \varphi_x$ is _____.
13. If G' is the commutator subgroup, then G/G' is the largest _____ of G .

9. (16 points) Answer the following about the *extraspecial group* $G = 5_-^{1+2}$, a nonabelian group of order $125 = 5^3$, whose subgroup lattice appears below.



- (a) Let H be the “rightmost” C_5 subgroup. Explain why it must be normal.
- (b) What is the quotient G/H isomorphic to, and why?
- (c) Which subgroup is the normalizer, $N_G(H)$?
- (d) Let K be the “leftmost” C_5 subgroup, which you may assume is not normal. What is its normalizer, $N_G(K)$?
- (e) Partition the subgroups into conjugacy classes G by circling them.
- (f) Is G isomorphic to a direct or semidirect product of any of its proper subgroups, and why?
- (g) Mark the derived series on the lattice, i.e., write $G^{(0)} =, G' =, G'' =, \dots$. Is G solvable?
- (h) Which subgroup must be $Z(G)$, and why? [*Hint: G is a p -group. Also, you may use a result we mentioned in passing, but did not prove: if $G/Z(G)$ is cyclic, then G is abelian.*]
- (i) Determine the centralizer $C_G(x)$, where $K = \langle x \rangle$. Justify your answer.
- (j) Determine the size of the conjugacy class $\text{cl}_G(x)$, where $K = \langle x \rangle$.
- (k) Find all N and Q (excluding G and 1) for which G is an extension of Q by N . Write each answer as an exact sequence $1 \rightarrow N \hookrightarrow G \twoheadrightarrow Q \rightarrow 1.$

10. (8 points) Prove the diamond theorem: if $A, B \trianglelefteq G$, then $AB/A \cong B/(A \cap B)$. You may assume that $A \trianglelefteq AB$ and $(A \cap B) \trianglelefteq B$.

11. (10 points) Fix a subgroup $H \leq G$, and define the map

$$\phi: \{\text{left cosets of } N_G(H)\} \longrightarrow \{\text{conjugates of } H\}, \quad \phi: gN_G(H) \longmapsto gHg^{-1}.$$

- (a) Show that this map is well-defined and a bijection.
- (b) Derive the formula $|G| = |\text{cl}_G(H)| \cdot |N_G(H)|$, for any $H \leq G$.