


Supplemental material for Visual Algebra (Math 4120), $_{\mbox{\scriptsize HW}}$ 6

#1(a): Partitions of A_4 by the right cosets of three of its subgroups.




#1(b): Each left coset gN defines a conjugate subgroup $gNg^{-1} \leq A_4$.







 $\#1(\mathbf{b})$: Each left coset gH defines a conjugate subgroup $gHg^{-1} \leq A_4$.




#1(b): Each left coset gK defines a conjugate subgroup $gKg^{-1} \leq A_4$.




 $\#4(\mathbf{a})$: Three-step construction of the conjugate subgroups of $H = \langle ab \rangle$ in $C_4 \rtimes C_4$: the subgroup H (left), the left coset xH (middle), and the conjugate subgroup xHx^{-1} (right).



#4(a): Three-step construction of the conjugate subgroups of $K = \langle a^2, b^2 \rangle$ in $C_4 \rtimes C_4$: the subgroup K (left), the left coset xK (middle), and the conjugate subgroup xKx^{-1} (right).



 $\#4(\mathbf{b})$: The subgroup lattice of $C_4 \rtimes C_4 = \langle a, b \rangle$, with the subgroups written by generator(s).



#4(e): Cayley table of the quotient of $C_4 \rtimes C_4$ by the subgroup $\langle a^2 \rangle$.

	±1	$\pm b$	$\pm b^2$	$\pm b^3$	$\pm a$	$\pm ab$	$\pm ab^2$	$\pm ab^3$
±1								
$\pm b$								
$\pm b^2$								
$\pm b^3$								
$\pm a$								
$\pm ab$								
$\pm ab^2$								
$\pm ab^3$								

 $\#4(\mathbf{e})$: Cayley table of the quotient of $C_4 \rtimes C_4$ by the subgroup $\langle b^2 \rangle$.

 $\pm a \quad \pm a^2 \quad \pm a^3 \quad \pm b \quad \pm ab \quad \pm a^2b$ $\pm a^3b$ ± 1 $\pm a$ $\pm a^3$ $\pm b$ $\pm ab$ $\pm a^2 b$

#4(e): Cayley table of the quotient of $C_4 \rtimes C_4$ by the subgroup $\langle a^2b^2\rangle$.

 $\pm a \quad \pm a^2 \quad \pm a^3 \quad \pm b \quad \pm ab \quad \pm a^2b$ $\pm a^3b$ ± 1 $\pm a$ $\pm a^3$ $\pm b$ $\pm ab$ $\pm a^2 b$