

## MATH 8560 - Spring 2016

### Homework 2

Due: Feb. 16th (Thursday)

#### QUESTION 1. *Log likelihood ratio.*

Let  $S = (\mathbb{F}_2, p(y | x), \mathcal{Y})$  be a binary memoryless channel such that  $p(y | x) \geq 0$  for any  $y \in \mathcal{Y}$  and  $x \in \mathbb{F}_2$ . The *log likelihood ratio* for a  $y \in \mathcal{Y}$  is

$$\mu(y) := \log_2 \left( \frac{p(y | 0)}{p(y | 1)} \right).$$

Let  $\mathcal{C}$  be a  $(n, M)$  code over  $\mathbb{F}_2$ , and define the decoder  $\mathcal{D} : \mathcal{Y}^n \rightarrow \mathcal{C}$  such that for any  $y = (y_1, \dots, y_n) \in \mathcal{Y}^n$

$$\mathcal{D}(y) = \operatorname{argmax}_{c \in \mathcal{C}} \sum_{i=1}^n (-1)^{c_i} \mu(y_i).$$

Show that  $\mathcal{D}$  is a maximum-likelihood decoder for  $\mathcal{C}$  with respect to  $S$ .

#### QUESTION 2. *Decoding failure*

Show that for every  $(n, M, d)$  code  $\mathcal{C}$  over  $\mathcal{X}$  and for every decoder  $\mathcal{D} : \mathcal{X}^n \rightarrow \mathcal{C}$ , there is a codeword  $c \in \mathcal{C}$  and a vector  $y \in \mathcal{X}^n$  such that  $d(y, c) \leq \lfloor (d+1)/2 \rfloor$  and  $\mathcal{D}(y) \neq c$ .

#### QUESTION 3. *Some properties of linear codes*

Let  $\mathcal{C} \subset \mathbb{F}_2^n$  be a  $[n, k]$  linear code.

1. Show that either any codeword has even weight, or exactly half of them have even weight.
2. If  $\mathcal{C}$  has a codeword of odd weight, then show that the even weight codewords of  $\mathcal{C}$  form an  $[n, k-1]$  linear code.
3. Show that either all codewords in  $\mathcal{C}$  begin with 0, or exactly half of them begin with zero.
4. Show that the sum of the weights of all codewords in  $\mathcal{C}$  is at most  $n2^{k-1}$ .

#### QUESTION 4. *Puncturing a linear code*

Let  $\mathcal{C}$  be a linear  $[n, k, d]$  code over a field  $\mathbb{F}$ . For  $i = 1, \dots, n$  denotes with  $\mathcal{C}_i$  the code

$$\mathcal{C}_i := \{(c_1, \dots, c_{i-1}, c_{i+1}, \dots, c_n) \mid (c_1, \dots, c_n) \in \mathcal{C}\}.$$

The code  $\mathcal{C}_i$  is said to be obtained by puncturing  $\mathcal{C}$  at the  $i$ -th coordinate.

- Show that  $\mathcal{C}_i$  is a linear  $[n-1, k_i, d_i]$  code over  $\mathbb{F}$  where  $k_i \geq k-1$  and  $d_i \geq d-1$ .
- Show that there are at least  $n-k$  indices  $i$  for which  $k_i = k$ .