

MTHSC 206 SECTION 17.5 – CURL AND DIVERGENCE

Kevin James

DEFINITION

Suppose that $F = [P, Q, R]$ is a vector field on \mathbb{R}^3 . We define the curl of F as

$$\begin{aligned}\operatorname{curl}(F) &= \left[\left(\frac{\partial R}{\partial y} - \frac{\partial Q}{\partial z} \right), \left(\frac{\partial P}{\partial z} - \frac{\partial R}{\partial x} \right), \left(\frac{\partial Q}{\partial x} - \frac{\partial P}{\partial y} \right) \right] \\ &= \det \begin{bmatrix} i & j & k \\ \frac{\partial}{\partial x} & \frac{\partial}{\partial y} & \frac{\partial}{\partial z} \\ P & Q & R \end{bmatrix} \\ &= \nabla \times F,\end{aligned}$$

where ∇ denotes the operator $\nabla = [\frac{\partial}{\partial x}, \frac{\partial}{\partial y}, \frac{\partial}{\partial z}]$.

EXAMPLE

Let $F = [xz, xyz, z^2]$. Find $\operatorname{curl}(F)$.

THEOREM

If $f(x, y, z)$ has continuous second order partials, then $\text{curl}(\nabla f) = 0$.

COROLLARY

Suppose that $F = [P, Q, R]$ is a vector field on \mathbb{R}^3 with $\text{curl}(F) \neq 0$. Then F is not conservative.

EXAMPLE

Is the vector field $F(x, y, z) = [xz, xyz, -y^2]$ conservative?

THEOREM

Suppose that F is a vector field on \mathbb{R}^3 all of whose partial derivatives are continuous and that $\text{curl}(F) = 0$. Then, F is conservative. (Actually, we only need the domain of F to be simply connected for the result to hold).

EXAMPLE

Let $F(x, y, z) = [y^2z^3, 2xyz^3, 3xy^2z^2]$. Show that F is conservative and find its potential function.

DEFINITION

Suppose that $F(x, y, z) = [P, Q, R]$ is a vector field on \mathbb{R}^3 . We define the divergence of F as

$$\begin{aligned}\operatorname{div}(F) &= \frac{\partial P}{\partial x} + \frac{\partial Q}{\partial y} + \frac{\partial R}{\partial z} \\ &= \nabla \cdot F.\end{aligned}$$

EXAMPLE

Let $F(x, y, z) = [xz, xyz, -y^2]$. Find $\operatorname{div}(F)$.

THEOREM

Suppose that $F(x, y, z) = [P, Q, R]$ is a vector field on \mathbb{R}^3 and that P , Q , and R all have continuous second order partials. Then,

$$\operatorname{div}(\operatorname{curl}(F)) = 0.$$

COROLLARY

Suppose that $F(x, y, z) = [P, Q, R]$ is a vector field on \mathbb{R}^3 and $\operatorname{div}(F) \neq 0$. Then F is not the curl of another vector field.

EXAMPLE

Show that $F(x, y, z) = [xz, xyz, -y^2]$ is not the curl of another vector field.

VECTOR FORMS OF GREEN'S THEOREM

THEOREM

Suppose that $F(x, y) = [P, Q]$ is a vector field on \mathbb{R}^2 . We can think of F as a vector field on \mathbb{R}^3 defined by $F(x, y, z) = [P(x, y), Q(x, y), 0]$. With this interpretation we have

$$\begin{aligned}\int_C F \cdot dr &= \int \int_D \text{curl}(F) \cdot K \, dA \\ \int_C F \cdot n \, ds &= \int \int_D \text{div}(F)(x, y) \, dA\end{aligned}$$

where C is the boundary curve of the region D , $r(t)$ parametrizes C and n is the normal vector to r , and we assume that D and C satisfy the hypotheses of Green's theorem.